

# Review Article Omega 3 fatty acid: A boon for pulmonary health

# Surya Kant<sup>1</sup>, Anjali Singh<sup>2,\*</sup>, Narsingh Verma<sup>2</sup>, Ajay Kumar Verma<sup>1</sup>, Adarsh Tripathi<sup>3</sup>

<sup>1</sup>Dept. of Respiratory Medicine, King George's Medical University, Lucknow, Uttar Pradesh, India <sup>2</sup>Dept. of Physiology, King George's Medical University, Lucknow, Uttar Pradesh, India <sup>3</sup>Dept. of Psychiatry, King George's Medical University, Lucknow, Uttar Pradesh, India



#### ARTICLE INFO

Article history: Received 20-02-2023 Accepted 25-04-2023 Available online 03-05-2023

Keywords: Nutrition Lung health Omega3 fatty acid

#### ABSTRACT

Nutrition has been recognized as an important factor in health and disease for many years. However, it is only recently that the importance of nutrition in patients with chronic lung disease has come into focus. There has been a profound link between nutrition and lung health. Malnutrition could lead to poor lung development. Various diet such as Mediterranean diet, prudent diet, etc. have reported their protective effect against respiratory diseases while westernized dietary patterns and fast-food intake could cause poor lung health. Fruits and vegetables constituting various vitamins and minerals provide antioxidant shield to the lungs. Apart from this, one leading nutrient omega-3 fatty acids primarily found in sea food is emerging to have beneficial role for the lung's wellbeing. Its anti-inflammatory property helps to combat respiratory diseases such as asthma, cystic fibrosis and COPD. Even in the chronic conditions such as lung cancer it works as an important constituent of nutritional therapy. It also impairs immune responses against various infections and strengthen lungs. To our surprise it has also proven positive effects over smoking cessation also. However, more research is certainly needed to identify the chief role of nutrients involved in managing respiratory diseases and their implications in practicality.

This is an Open Access (OA) journal, and articles are distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

For reprints contact: reprint@ipinnovative.com

# 1. Background


Factors related to nutrition are implicated in the pathogenesis of a wide variety of diseases. In striking contrast to the situation pertaining of the relationship between diet, energy imbalance (obesity) and cardiovascular disease, particularly coronary artery disease, the relation between diet and lung disease has not received much attention.<sup>1,2</sup> The critical role of nutrition has been recognized also with regard to chronic disease states of the other organ systems, such as endocrine system (e.g. diabetes), digestive system (e.g. Fatty Liver), Immune system (e.g. Anemia), renal system (e.g. Nephrotic

syndrome), Circulatory system (e.g. Hypertension), Skeletal System (e.g. Osteoporosis). The part played by nutrition in the pathogenesis of cancer has also been the subject of extensive research.<sup>3</sup> But the standard texts on nutrition make little or no reference to the respiratory system.<sup>4</sup> This relative neglect is due to the relation between nutrition and the fatal diseases of the respiratory system disease is not directly causal.<sup>1</sup>

However, interesting new evidence which has emerged over the past decade suggests that there might be a significant link between dietary intake of certain nutrients and lung health.<sup>5,6</sup> While there is widespread acknowledgement that malnutrition in pregnant women adversely effects of the lung development of the fetus.<sup>7</sup>

<sup>\*</sup> Corresponding author. E-mail address: anjalisingh\_phd@kgmu.edu (A. Singh).

This process of complex interactions could be better understood with the vicious cycle below in Figure 1 that shows the development of nutritional deficiencies early in life leading to malnutrition and hence poor lung development.



**Fig. 1:** A model of relationship between Poor Nutrition and lung diseases (developed by authors).

Nutritional status is clearly recognized as a factor that is tightly intertwined in this process, and the temporality of this association has long been debated.

# 2. Lung Diseases

The number of lung diseases are plentiful, and can break down into three categories:

- 1. Lung diseases that affect the air sacs,
- 2. Lung diseases that affect the airways, and
- 3. Lung diseases that affect the interstitium.

*Stephen M. Black* has categorized lung diseases into 3 different groups:[Table 1]

# 3. Aim

The aim of the present review is to summarize the information currently available on the links between nutrition and lung health, addressing the effect of nutrition (and dietary habits) on lung function and disease focusing the role of omega 3 fatty acid on lung health.

# 3.1. Protective and harmful effects of diet on respiratory diseases

Interesting new evidence is, however, beginning to emerge from sources as varied as molecular biology laboratories and epidemiological units. This suggests that a relation may exist between intake of certain dietary elements and lung disease<sup>9</sup> and that the links may have a practical importance.

The most popular dietary patterns for good lung health are Mediterranean diet and Prudent diet. The Mediterranean diet is based on the regional foods of Greece, Italy, and other nations that border the Mediterranean Sea. The foundation of Mediterranean diet is plant-based foods including whole grain cereals, green vegetables, pulses and legumes, fruits, seeds, nuts, herbs and spices.<sup>10</sup> While the diet pattern of prudent diet has been used to refer to the low-fat, lowcholesterol diet i.e., characterized by a high intake of fruits, vegetables, legumes, fish and whole grain products.<sup>11</sup>

On a contrary note, Traditional Indian diet that emphasizes on a high consumption of plant-based foods like vegetables, fruits, lentils with low intake of meat, is also gaining popularity all around the world and is being promoted for keeping lungs healthy. Not only the diet patterns but also how specific nutrients are responsible for prevention from lung diseases are shown in Table 2.

Diet can not only promote lung health but also can hinder lung function when taken in little or excess amounts of certain unhealthy foods or by following unhealthy food habits. Something similar happens in western diet pattern as well, which is characterized by high intake of refined grains, cured and red meats, sweets, desserts, high fat dairy products, processed foods and pre-packaged foods.<sup>45</sup> While fast foods are high in sugar, salt, saturated fat or trans fats, and calories. It constitutes pre-prepared ingredients, precooked foods, frozen beef patties, vegetables etc. as well as many processed preservatives and ingredients.<sup>46,47</sup> These impart harmful effect on lung health. [Table 3]

#### 3.2. Magnitude of the disease burden

The World Health Organization (WHO) estimates that 6% of all diseases in the world are caused by respiratory infections.<sup>49</sup> The Table 4 below shows the current scenario of respiratory disease burden.

Asthma has affected an estimated number of 262 million people in 2019 and has caused 455,000 deaths.<sup>68</sup> Approximately 9.7% of adult females and 6.2% of adult males have asthma. It is the most common chronic illness among children.<sup>69</sup> Chronic obstructive pulmonary disease (COPD) is the third most common killer in the world, causing 3.23 million fatalities in 2019. Over 70% of instances of COPD in high-income nations are caused by tobacco use.<sup>70</sup> There is a 2% annual decline in TB incidence.<sup>71</sup>

The estimated global incidence of community-acquired pneumonia, which is influenced by the geographical characteristics, the season, and demographic characteristics, ranges from 1.5 to 14 cases per 1,000 person-years.<sup>72</sup> Overall, 3.1% of people self-reported having symptoms of chronic bronchitis, with 3.6% of men and 2.6% of women reporting these symptoms.<sup>73</sup>

S.No.	Affecting the Air Sacs	Affecting the Airways	Affecting the Interstitium
1.	Pneumonia	Chronic obstructive pulmonary disease	Interstitial Lung Disease
2.	Lung Cancer	Chronic Bronchitis	Interstitial Pneumonia
3.	Pulmonary Edema	Emphysema	Pulmonary Edemas
4.	Acute Respiratory Distress Syndrome	Acute Bronchitis	
5.	Pulmonary Tuberculosis	Cystic Fibrosis	
6.	Emphysema	Asthma	
7.	Pneumoconiosis		

 Table 1: Categories of respiratory diseases<sup>8</sup>

Pulmonary edema related to cardiac reasons (heart failure) is a diagnosis given to more than 1 million individuals each year.<sup>74</sup> An estimated 190,000 patients are reported with acute lung damage annually.<sup>75</sup> Overall, men have a 1 in 16 lifetime risk of developing lung cancer; women have a 1 in 17 lifetime risk. <sup>76</sup> Currently, 74% of the world's population—or close to 545 million people—live with a chronic respiratory disease.<sup>77</sup>

# 3.3. What is omega 3

Omega-3 fatty acids (omega-3s) are polyunsaturated fats that perform important functions in human body. Human body does not synthesize the amount of omega-3s needed for survival. So, omega-3 fatty acids are essential fatty acids, which has to be consumed through foods we eat. Omega-3 are essential nutrients that you need to get from your diet.

The three main omega-3 fatty acids are:

- 1. Alpha-linolenic acid (ALA)
- 2. Eicosapentaenoic acid (EPA)
- 3. Docosahexaenoic acid (DHA)

# 3.4. Sources of omega 3

These diets high in omega-3 fatty acids include both plant and fish-driven [Figure 2]




Fig. 2: Sources of Omega 3 fatty acids<sup>78</sup>

# 4. Role of Omega-3 in Pulmonary Health and Prevention of Respiratory Diseases

Diet is a complex exposure. Omega 3 fatty acids are emerging as prominent yet safe disease-modifying nutrients and are protective in severe critical care conditions including lung injury.<sup>79,80</sup>

Several links have increased intake of ALA, EPA, and DHA with lower incidence respiratory diseases.<sup>81</sup> Omega-3 with its widely known anti-inflammatory nutrient been proposed as a potential "nutraceutical," or food with medicinal properties that may yield beneficial health effects on the pulmonary health.<sup>82–84</sup>

Growing evidences have indicated the beneficial role of omega 3 fatty acid in chronic inflammatory diseases such as pulmonary fibrosis and asthma by reducing inflammatory reaction by changing the contents of lipid membranes and other substrates which are in turn the substrates for eicosanoid production.<sup>85–87</sup> DHA may contribute to the prevention of bleomycin-induced pulmonary fibrosis.<sup>88</sup> Observational data supports the fact that omega-3 PUFAs provide a therapeutic strategy for managing COPD.<sup>89</sup>

EPA- and DHA-specific diets are good dietary options for the management of different types of lung disease progressions.<sup>90</sup> A diet low in omega-3:omega-6 fatty acid ratio might contribute to exacerbation and increased morbidity of asthma and allergic diseases.<sup>91</sup> Low omega-3 fatty acid intake might lead to increased respiratory symptoms such as chronic bronchitis, wheeze, and asthma.<sup>92</sup>

Omega-3 reduces lung pathology, in particular peribronchial inflammation and cell death. Omega-3 fatty acid diets decreased overall lung tissue inflammation and cell death, effects against the most common pathogen that causes pneumonia may improve outcomes of patients at risk for pneumonia.<sup>93</sup> Patients with acute respiratory distress syndrome show improved pulmonary function within a few days after omega-3 FA administration.<sup>94</sup> Moreover, omega-3 epoxides counteract the development of Pulmonary hypertension through regulating the vascular remodeling of pulmonary arteries.<sup>95</sup> Based on previous studies, omega-3 fatty acids were able to reduce pulmonary edema and improve oxygenation and bacterial killing.<sup>96–99</sup>

Table 2: Protective effect of Diet and nutrients against r	espiratory diseases

S.No.	Protective effect of	Source	Protective effect against Diseases	Reference
1.	Mediterranean Diet	High intake of minimally processed plant foods, namely; fruit, vegetables, breads, cereals, beans, nuts and seeds, low to moderate intake of dairy foods, fish, poultry, wine, low intake of red meat & saturated fat	<ul><li>Allergic respiratory diseases</li><li>Atopy, wheezing and asthma symptoms</li></ul>	12–14
2.	Prudent Diet	Increased intake of fruits, vegetables, legumes, fish whole grain products and other sea foods	<ul><li>Lung function improvement</li><li>Reduced risk of COPD</li></ul>	15
3.	Indian Diet	Whole cereals and millets, variety of lentils, wide variety of fruit and vegetables, variety of herbs, spices and flavorings, low saturated fat, dairy foods, high fiber and regionally diverse nuts	<ul> <li>Help to Breathe easily and with comfort</li> <li>Strengthen lung immunity and fight against infections</li> <li>Reduces inflammation in lungs</li> <li>Protect the lung tissues from damage</li> <li>Boost lung function</li> </ul>	16,17
4.	Fruits and Vegetables		<ul> <li>Weaken COPD development</li> <li>Decreased risk of asthma exacerbation</li> <li>Reduces the risk of childhood wheezing</li> <li>Improvement in lung function</li> <li>Reduces the risk of lung cancer by approximately 25%</li> </ul>	18,19
5.	Vitamin C	Fruits: papaya, cantaloupe, citrus fruits, strawberries Vegetables: cauliflower, broccoli, Brussels sprouts, kale, sweet peppers	<ul> <li>A positive association with lung function</li> <li>Important in COPD pathogenesis and management</li> <li>Prevent smoke induced emphysema</li> <li>Restore damaged lung tissue</li> <li>Inverse relationship with bronchitis</li> </ul>	20–23
6.	Vitamin E	Vegetable & seed oils (corn, safflower, soy bean) Eggs Green vegetables	<ul> <li>Reduce biomarkers of oxidative stress in COPD patients</li> <li>Reduces risk of childhood asthma and wheeze</li> </ul>	24–27
7.	Provitamin A carotenoids	Liver, Egg yolk, Milk fat, Fish oils	<ul> <li>Early lung development</li> <li>Conservation of lung function</li> <li>Partially prevent chronic lung disease</li> <li>Decreased risk in lung cancer</li> </ul>	28,29
8.	Lycopene	Predominant in tomatoes; red, orange and yellow fruits, vegetables: sweet potato, carrots, winter squash, green vegetables	<ul> <li>Positively correlated with FEV1 in both asthma and COPD</li> <li>Suppress neutrophilic airway inflammation in asthma</li> </ul>	30,31
9.	Flavonoids	Apples, lemons, oranges, potatoes, cauliflower, tea, skin of tubers and roots, red wine	<ul> <li>Lessening the development of lung diseases such as COPD, lung cancer, ARDS, and asthma</li> <li>Ameliorating lung disorders</li> </ul>	32
10.	Vitamin D	Sun exposure, milk, mushrooms, egg, fatty fish	<ul> <li>Protective role against asthma and COPD</li> <li>Decrease COPD incidence</li> </ul>	33,34
11.	Magnesium	Nuts, legumes Cereal grains Corn, peas, carrots, parsley, spinach, lima beans Brown rice Seafood	<ul> <li>Have beneficial bronchodilator effects in asthma</li> <li>Lowers risk factor for airway diseases</li> </ul>	35,36
12.	Selenium	Animal products, especially organ meats and seafood	Inversely associated with risk of asthma in children	37,38
13.	Sulforaphane	Broccoli and wasabi, sprouts, kale, cabbage, cauliflower and curcumin (pigment in turmeric)	<ul><li>Have beneficial antioxidant properties</li><li>Benefits in COPD</li></ul>	39–41
14.	Branched chain amino acid	Whey, milk, and soy proteins, corn, beef, chicken, fish, eggs, baked beans, chickpeas, lentils, whole wheat & brown rice.	Associated with positive results in COPD including increases in whole body protein synthesis, body weight, fat free mass and arterial blood oxygen levels	42,43
15.	Cysteine	Cysteine or methionine as precursors of glutathione	Prevent increased susceptibility to lung injury	44

Table 3: Harmful effect of diet leading to respiratory diseases

S.No.	Harmful effect of:	Source	Harmful effect	References
1.	Western Diet	High consumption of refined grains, cured and red meats, desserts and sweets and high-fat dairy products	Increased frequency of asthma exacerbation and is related to COPD risk.	45
2.	Fast Food	Hamburgers, Sandwich, French Fries, Potato chips, Pizza, Processed meat, Bakery products, Sweet drinks, Carbonated drinks, etc.	<ul> <li>Increased risk of COPD</li> <li>Correlated with the presence of asthma, wheezing and airway hyper responsiveness (AHR)</li> </ul>	46–48

 Table 4: Current scenario of Global and Indian Respiratory Disease Burden

S.No.	Respiratory problems	Global		Indian		References
		Burden	Deaths/year	Burden	Deaths/year	
1.	Tuberculosis	10.6 million	1.6 million	2.59 million	4 lakhs	50-52
2.	Asthma	339 million	4.61 lakhs	34.3 million	> 1lakh	53-56
3.	COPD	391.9 million	3.23 million	55.3milion	8.48 lakhs	57–59
4.	Lung Cancer	2.21 million	1.80 million	14.61 lakhs	8.08 lakhs	60-62
5.	Pneumonia	450 million	3.0 million	30 million	1.4 lakhs	63,64
6.	Tobacco use	1.7 billion	> 8 million	267 million	1.35 million	65–67

It has also been reported that dietary omega-3 fatty acids impair the immune response against Mycobacterium tuberculosis that causes tuberculosis.<sup>100–103</sup> Omega3 PUFAs intake also interfere in smoking habit as the increase in omega-3 consumption plays a role in prevention or treatment of smoking.<sup>104–106</sup>

Omega-3 polyunsaturated fatty acid supplements for chemoprevention of different types of cancer including lung cancer has been investigated in recent years. Omega-3 PUFAs are considered immune-nutrients, commonly used in the nutritional therapy of cancer patients. Omega-3 PUFAs play essential roles in cell signaling and in cell structure and fluidity of membranes.<sup>107</sup> Dietary intake of omega-3 fatty acids, not only play a role in combating lung diseases but also take part in the normal aging process of the lungs.<sup>108</sup>

#### 5. Conclusion

The present review summarizes the information currently available on the links between nutrition and lung health, addressing interesting relationship between the influence of nutrition on lung health and the tendency to common lung diseases such as COPD, asthma and lung cancer. The exact nature of the nutrients involved, the magnitude of their influence and the practical implications of these influences remain unclear. However, fruits and vegetables rich in vitamins, polyphenols and omega-3 fatty acids work together to provide comprehensive antioxidant protection and modulate inflammatory reactions on which lung health depends on while fast food intake and westernized patterns have adverse associations. The most effective advice to promote lung health still simple i.e., to stop smoking and tobacco use. In contrast, nutritional therapy has a key role to play in the management of lung diseases decreasing mortality and morbidity from the disease. However, chronic lung disease continues to provide nutritional challenges for the health care team but aggressive nutritional support and an early intervention should have better chances of success. More research is certainly needed not only to better dissect the nutritional factors involved in the lung disease but also (and perhaps more important) to identify effective and safe interventions through systematic controlled trials.

#### 6. Conflict of Interest

The authors declare that there is no conflict of interest.

#### Acknowledgment

Authors are thankful to Indian Council of Medical Research (ICMR), New Delhi, India [No. 3/1/2/211/2021-Nut, dated 17-11-2022; for Senior Research Fellowship to AS].

### References

- Sridhar MK. Proceedings of the Nutrition Society. *Proc Nutr Soc.* 1999;58(2):303–8. doi:10.1017/s0029665199000415.
- World Health Organization. The leishmaniases: report of a WHO expert committee [meeting held in Geneva from 10 to 16 November 1982]. World Health Organization; 1982.
- 3. Doll R, Peto R. The causes of cancer: quantitative estimates of avoidable risks of cancer in the United States today. *JNCI: J National Cancer Inst.* 1981;66(6):1192–308.
- Garrow J, James W. Human Nutrition and Dietetics. London: Churchill Livingstone; 1993.
- Sridhar MK. Nutrition and lung health. Pro Nutr Soc. 1999;58(2):303–8. doi:10.1017/s0029665199000415.
- 6. Gupta B, Kant S, Mishra R, Verma S. Nutritional status of chronic obstructive pulmonary disease patients admitted in hospital with

acute exacerbation. J Clin Med Res. 2010;2(2):68-74.

- Harding R, Maritz G. Maternal and fetal origins of lung disease in adulthood. *Semin Fetal Neonatal Med.* 2012;17(2):67–72. doi:10.1016/j.siny.2012.01.005.
- Overview of lung diseases. [Last accessed 2023 on April 27]. Available from: http://stephenmblack.com/overview-of-lungdiseases/.
- Jain P, Kant S, Mishra R. Assessment of Nutritional Status of Patients Suffering from Asthma. J Clin Nutr Diet. 2017;doi:0.4172/2472-1921.100050.
- Willett WC, Sacks F, Trichopoulou A, Drescher G, Ferro-Luzzi A, Helsing E, et al. Mediterranean diet pyramid: a cultural model for healthy eating. *Am J Clin Nutr.* 1995;61(6 Suppl):1402–6. doi:10.1093/ajcn/61.6.1402S.
- 11. Livingston GE. The prudent diet: What? why? how? *Prev Med.* 1973;2(3):321-8.
- Arvaniti F, Priftis KN, Papadimitriou A, Papadopoulos M, Roma E, Kapsokefalou M, et al. Adherence to the Mediterranean type of diet is associated with lower prevalence of asthma symptoms, among 10-12 years old children: the PANACEA study. *Pediatr Allergy Immunol.* 2011;22:283–292.
- Chatzi L, Kogevinas M. Prenatal and childhood Mediterranean diet and the development of asthma and allergies in children. *Public Health Nutr.* 2009;12(9A):1629–34.
- De Batlle J, Garcia-Aymerich J, Barraza-Villarreal A, Antó JM, Romieu I. Mediterranean diet is associated with reduced asthma and rhinitis in Mexican children. *Allergy*. 2008;63(10):1310–6.
- Shaheen SO, Jameson KA, Syddall HE, Sayer AA, Dennison EM, Cooper C, et al. Hertfordshire Cohort Study Group. The relationship of dietary patterns with adult lung function and COPD. *Eur Respir* J. 2010;36(2):277–84.
- Wikipedia. [Last accessed 2023 on April 27]. Available from: https://en.wikipedia.org/wiki/Indian\_cuisine#:~:text=Staple% 20foods%20of%20Indian%20cuisine.
- TOI. [Last accessed 2023 on April 27]. Available from: https: //timesofindia.indiatimes.com/indian-diets-were-both-scientificand-sustainable-these-must-be-saved/articleshow/80176742.cms.
- Wood LG, Garg ML, Smart JM, Scott HA, Barker D, Gibson PG, et al. Manipulating antioxidant intake in asthma: a randomized controlled trial. *Am J Clin Nutr.* 2012;96(3):534–43.
- Seyedrezazadeh E, Moghaddam MP, Ansarin K, Vafa MR, Sharma S, Kolahdooz F, et al. Fruit and vegetable intake and risk of wheezing and asthma: a systematic review and meta-analysis. *Nutr Rev.* 2014;72(7):411–28.
- Schwartz J, Weiss ST. Relationship between dietary vitamin C intake and pulmonary function in the First National Health and Nutrition Examination Survey (NHANES I). *Am J Clin Nutr.* 1994;59(1):110– 4.
- Koike K, Ishigami A, Sato Y, Hirai T, Yuan Y, Kobayashi E, et al. Vitamin C prevents cigarette smoke-induced pulmonary emphysema in mice and provides pulmonary restoration. *Am J Respir Cell Mol Biol.* 2014;50(2):347–57.
- 22. Lin YC, Wu TC, Chen PY, Hsieh LY, Yeh SL. Comparison of plasma and intake levels of antioxidant nutrients in patients with chronic obstructive pulmonary disease and healthy people in Taiwan: a casecontrol study. *Asia Pacific J Clin Nutr.* 2010;19(3):393–401.
- 23. Strachan DP, Cox BD, Erzinclioglu SW, Walters DE, Whichelow MJ. Ventilatory function and winter fresh fruit consumption in a random sample of British adults. *Thorax*. 1991;46(9):624–9.
- Daga MK, Chhabra R, Sharma B, Mishra TK. Effects of exogenous vitamin E supplementation on the levels of oxidants and antioxidants in chronic obstructive pulmonary disease. *Journal of biosciences*. 2003;28:7–11.
- Litonjua AA, Rifas-Shiman SL, Ly NP, Tantisira KG, Rich-Edwards JW, Jr CC, et al. Maternal antioxidant intake in pregnancy and wheezing illnesses in children at 2 y of age. *Am J Clin Nutr.* 2006;84(4):903–11.
- 26. Miyake Y, Sasaki S, Tanaka K, Hirota Y. Consumption of vegetables, fruit, and antioxidants during pregnancy and wheeze and eczema in

infants. Allergy. 2010;65(6):758-65.

- Devereux G, Turner SW, Craig LC, Mcneill G, Martindale S, Harbour PJ, et al. Low maternal vitamin E intake during pregnancy is associated with asthma in 5-year-old children. *Am J Respir Crit Care Med.* 2006;174(5):499–507.
- Seyedrezazadeh E, Moghaddam MP, Ansarin K, Vafa MR, Sharma S, Kolahdooz F, et al. Fruit and vegetable intake and risk of wheezing and asthma: a systematic review and meta-analysis. *Nutr Rev.* 2014;72(7):411–28.
- Kant S, Gupta H, Ahluwalia S. Significance of nutrition in pulmonary tuberculosis. *Crit Rev Food Sci Nutr.* 2015;55(7):955– 63. doi:10.1080/10408398.2012.679500.
- Ochs-Balcom HM, Grant BJ, Muti P, Sempos CT, Freudenheim JL, Browne RW, et al. Antioxidants, oxidative stress, and pulmonary function in individuals diagnosed with asthma or COPD. *Eur J Clin Nutr.* 2006;60(8):991–9.
- 31. Wood LG, Garg ML, Powell H, Gibson PG. Lycopene-rich treatments modify noneosinophilic airway inflammation in asthma: proof of concept. *Free Radical Res.* 2008;42(1):94–102.
- Lago JH, Toledo-Arruda AC, Mernak M, Barrosa KH, Martins MA, Tibério IF, et al. Structure-activity association of flavonoids in lung diseases. *Molecules*. 2014;19(3):3570–95.
- Foong RE, Zosky GR. Vitamin D deficiency and the lung: disease initiator or disease modifier? *Nutrients*. 2013;5(8):2880–900.
- 34. Janssens W, Bouillon R, Claes B, Carremans C, Lehouck A, Buysschaert I, et al. Vitamin D deficiency is highly prevalent in COPD and correlates with variants in the vitamin D-binding gene. *Thorax*. 2010;65(3):215–20.
- 35. Mathew R, Altura BM. The role of magnesium in lung diseases: asthma, allergy and pulmonary hypertension. *Magnesium Trace Elements*. 1991;10(2-4):220-8.
- Romieu I. Nutrition and lung health. Int J Tuberc Lung Dis. 2005;9(4):362–74.
- Kadrabová J, Maďarič A, Kovačiková Z, Podivínsky F, Ginter E, Ginter F, et al. Selenium status is decreased in patients with intrinsic asthma. *Biol Trace Elem Res.* 1996;52(3):241–8. doi:10.1007/BF02789165.
- Devereux G, Mcneill G, Newman G, Turner S, Craig L, Martindale S, et al. Early childhood wheezing symptoms in relation to plasma selenium in pregnant mothers and neonates. *Clin Exp Allergy*. 2007;37(7):1000–8. doi:10.1111/j.1365-2222.2007.02757.x.
- Al-Ghimlas F, Todd DC. Creatine supplementation for patients with COPD receiving pulmonary rehabilitation: A systematic review and meta-analysis. *Respirology*. 2010;15(5):785–95.
- Morimitsu Y, Nakagawa Y, Hayashi K, Fujii H, Kumagai T, Nakamura Y, et al. A sulforaphane analogue that potently activates the Nrf2-dependent detoxification pathway. *J Biol Chem.* 2002;277(5):3456–63.
- Meja KK, Rajendrasozhan S, Adenuga D, Biswas SK, Sundar IK, Spooner G, et al. Am J Respir Cell Mol Biol. 2008;39(3):312–23.
- 42. Engelen MP, Rutten EP, De Castro C, Wouters EF, Schols AM, Deutz NE, et al. Supplementation of soy protein with branched-chain amino acids alters protein metabolism in healthy elderly and even more in patients with chronic obstructive pulmonary disease. *Am J Clin Nutr.* 2007;85(2):431–9. doi:10.1093/ajcn/85.2.431.
- Negro RWD, Aquilani R, Bertacco S, Boschi F, Micheletto C, Tognella S, et al. Comprehensive effects of supplemented essential amino acids in patients with severe COPD and sarcopenia. *Monaldi Arch Chest Dis.* 2010;73(1):25–33. doi:10.4081/monaldi.2010.310.
- Deneke SM, Gershoff SN, Fanburg L. Potentiation of oxygen toxicity in rats by dietary protein or amino acid deficiency. *J Appl Physiol*. 1983;54(1):147–51.
- Varraso R, Kauffmann F, Leynaert B, Moual NL, Boutron-Ruault MC, Clavel-Chapelon F, et al. Dietary patterns and asthma in the E3N study. *Eur Respir J*. 2009;33(1):33–41.
- 46. Wickens K, Barry D, Friezema A, Rhodius R, Bone N, Purdie G, et al. Fast foods-are they a risk factor for asthma. *Allergy*. 2005;60(12):1537–41.

- 47. Hijazi N, Abalkhail B, Seaton A. Diet and childhood asthma in a society in transition: a study in urban and rural Saudi Arabia. *Thorax*. 2000;55(9):775–9.
- Jain P, Kant S, Mishra R. Perception of dietary food items as food allergens in asthmatic individuals in north Indian population. *J Am Coll Nutr.* 2011;30(4):274–83.
- 49. Tazinya AA, Halle-Ekane GE, Mbuagbaw LT, Abanda M, Atashili J, Obama MT, et al. Risk factors for acute respiratory infections in children under five years attending the Bamenda Regional Hospital in Cameroon. *BMC Pulm Med.* 2018;18(1):7. doi:10.1186/s12890-018-0579-7.
- 50. WHO. [Last accessed 2023 on April 27]. Available from: https://www.who.int/news-room/fact-sheets/detail/tuberculosis.
- 51. Tb Facts. [Last accessed 2023 on April 27]. Available from: https://tbfacts.org/tb-statistics-india/.
- Dhamnetiya D, Patel P, Jha RP, Shri N, Singh M, Bhattacharyya K, et al. Trends in incidence and mortality of tuberculosis in India over past three decades: a joinpoint and age-period-cohort analysis. *BMC Pulmy Med.* 2021;21:1–4. doi:10.1186/s12890-021-01740-y.
- GIA. [Last accessed 2023 on April 27]. Available from: https:// ginasthma.org/world-asthma-day-may-5-2021/.
- GAR. [Last accessed 2023 on April 27]. Available from: http:// globalasthmareport.org/burden/deaths.php.
- 55. Singh S, Salvi S, Mangal DK, Singh M, Awasthi S, Mahesh PA, et al. Prevalence, time trends and treatment practices of asthma in India: the Global Asthma Network study. *ERJ Open Res.* 2022;8(2):00528– 2021. doi:10.1183/23120541.00528-2021.
- Available from: https://indianexpress.com/article/india/of-deathsdue-to-respiratory-diseases-14-in-india-study-air-pollution-4801764/.
- Adeloye D, Song P, Zhu Y, Campbell H, Sheikh A, Rudan I, et al. Global, regional, and national prevalence of, and risk factors for, chronic obstructive pulmonary disease (COPD) in 2019: a systematic review and modelling analysis. *Lancet Respir Med*. 2022;10(5):447– 58.
- COPD. [Last accessed 2023 on April 27]. Available from: who.int/news-room/fact-sheets/detail/chronic-obstructivepulmonary-disease-(copd).
- 59. The changing patterns of cardiovascular diseases and their risk factors in the states of India: the Global Burden of Disease Study 1990-2016. Lancet Glob Health. *India State-Level Disease Burden Initiative CVD Collaborators*. 2018;6:1339–51.
- CANCER. WHO. [Last accessed 2023 on April 27]. Available from: https://www.who.int/news-room/fact-sheets/detail/cancer.
- India status report. [Last accessed 2023 on April 27]. Available from: https://www.insightsonindia.com/2023/01/17/cancer-in-indiaa-status-report/.
- National Cancer Registry data presented in Parliament, ICMR National Centre for Disease Informatics and Research study. [Last accessed 2023 on April 27]. Available from: https://www.ncdirindia. org/.
- Available from: https://en.wikipedia.org/wiki/Epidemiology\_of\_ pneumonia#cite\_note-Lancet11-3.Lastaccessed2023on.
- Pneumonia. [Last accessed 2023 on April 27]. Available from: https://www.savethechildren.in/sci-in/media/PDFs/46a9e9c8f7ca-4223-acef-1e542b644f86.pdf.
- 65. Save the children. [Last accessed 2023 on April 27]. Available from: https://www.who.int/news-room/fact-sheets/detail/tobacco#:~: text=Key%20facts,exposed%20to%20second%2Dhand%20smoke.
- NTCP. [Last accessed 2023 on April 27]. Available from: https://nhm.gov.in/NTCP/Surveys-Reports-Publications/GATS-2-Highlights-(National-level).pdf.
- 67. WHO. [Last accessed 2023 on April 27]. Available from: https://www.who.int/india/health-topics/tobacco#:~: text=Nearly%20267%20million%20adults%20(15,quid%20with% 20tobacco%20and%20zarda.
- WHO. [Last accessed 2023 on April 27]. Available from: https://www.who.int/news-room/fact-sheets/detail/asthma. Lastaccessed2023on.

- 69. ASTHMA. [Last accessed 2023 on April 27]. Available from: https://aafa.org/asthma/.
- WHO. [Last accessed 2023 on April 27]. Available from: https://www.who.int/news-room/fact-sheets/detail/chronicobstructive-pulmonary-disease-(copd).
- WHO. [Last accessed 2023 on April 27]. Available from: https: //www.who.int/news-room/fact-sheets/detail/tuberculosis.
- Regunath H, Oba Y. Community-acquired pneumonia. StatPearls [Internet] 2021 Aug 11. StatPearls Publishing.; 2021.
- Mejza F, Gnatiuc L, Buist AS, Vollmer WM, Lamprecht B, Obaseki DO, et al. Prevalence and burden of chronic bronchitis symptoms: results from the BOLD study. *Eur Respir J.* 2017;50(5):1700621. doi:10.1183/13993003.00621-2017.
- 74. Go AS, Mozaffarian D, Roger VL, Benjamin EJ, Berry JD, Borden WB, et al. American Heart Association Statistics Committee and Stroke Statistics Subcommittee. Heart disease and stroke statistics–2013 update: a report from the American Heart Association. *Circulation*. 2013;127(1):6–245.
- Rubenfeld GD, Caldwell E, Peabody E, Weaver J, Martin DP, Neff M, et al. Incidence and outcomes of acute lung injury. *N Engl J Med.* 2005;353(16):1685–93.
- Available from: https://www.cancer.org/cancer/lung-cancer/about/ key-statistics.
- Soriano JB, Kendrick PJ, Paulson KR, Gupta V, Abrams EM, Adedoyin RA, et al. Prevalence and attributable health burden of chronic respiratory diseases, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet Respir Med.* 2020;8(6):585–96.
- 78. [Last accessed 2023 on April 27]. Available from: https://ods.od. nih.gov/factsheets/Omega3FattyAcids-Consumer/#:~:text=Fish% 20and%20other%20seafood%20(especially,soybean%20oil%2C% 20and%20canola%20oil)Home>HealthInformation>Dietary{\T1\ textendash}{\T1\textendash}pplementFactSheets>Omega-3fattyacids>Omega-3FattyAcids{\T1\textendash}Consumer.
- Sukhotnik I, Slijper N, Pollak Y, Chemodanov E, Shaoul R, Coran AG, et al. Parenteral omega-3 fatty acids (Omegaven) modulate intestinal recovery after intestinal ischemia-reperfusion in a rat model. J Pediatric Surg. 2011;46(7):1353–60.
- Gaur P, Kumar C, Shukla RK, Kant S, Agarwal J, Bhattacharya S, et al. Nutritional scenario in bronchial asthma. *Int J Curr Microbiol Appl Sci.* 2013;2(9):119–24.
- Shahar E, Folsom AR, Melnick SL, Tockman MS, Comstock GW, Gennaro V, et al. Dietary n-3 polyunsaturated fatty acids and smoking-related chronic obstructive pulmonary disease. *Engl J Med*. 1994;331(4):228–33.
- Scicchitano P, Cameli M, Maiello M, Modesti PA, Muiesan ML, Novo S, et al. Nutraceuticals and dyslipidaemia: beyond the common therapeutics. *J Funct Foods*. 2014;6:11–32. doi:/10.1016/j.jff.2013.12.006.
- Hwang YY, Ho YS. Nutraceutical support for respiratory diseases. Food Sci Human Wellness. 2018;7(3):205–8.
- Avrelija C, Walter C. The Role of Functional Foods. Nutraceuticals, and Food Supplements in Intestinal Health. *Nutrients*. 2010;2(6):611–25. doi:10.3390/nu2060611.
- Baybutt RC, Rosales C, Brady H, Molteni A. Dietary fish oil protects against lung and liver inflammation and fibrosis in monocrotaline treated rats. *Toxicology*. 2002;175(1-3):1–3.
- Gayan-Ramirez G. Relevance of nutritional support and early rehabilitation in hospitalized patients with COPD. *J Thoracic Dis.* 2018;10(12):1400–14.
- Araya J, Nishimura SL. Fibrogenic reactions in lung disease. Annu Rev Pathol. 2010;5:77–98. doi:10.1146/annurev.pathol.4.110807.092217.
- Zhao H, Chan-Li Y, Collins SL, Zhang Y, Hallowell RW, Mitzner W, et al. Pulmonary delivery of docosahexaenoic acid mitigates bleomycin-induced pulmonary fibrosis. *BMC Pulm Med.* 2014;14. doi:10.1186/1471-2466-14-64.
- Wood LG. Omega-3 polyunsaturated fatty acids and chronic obstructive pulmonary disease. Curr Opin Clin Nutr Metab Care.

2015;18(2):128-32. doi:10.1097/MCO.00000000000142.

- Schwartz J. Role of polyunsaturated fatty acids in lung disease. Am J Clin Nutr. 2000;71(1 Suppl):393–6. doi:10.1093/ajcn/71.1.393s.
- Miles EA, Calder PC. Omega-6 and omega-3 polyunsaturated fatty acids and allergic diseases in infancy and childhood. *Curr Pharm Des.* 2014;20(6):946–53. doi:10.2174/138161282006140220125732.
- Burns JS, Dockery DW, Neas LM, Schwartz J, Coull BA, Raizenne M, et al. Low dietary nutrient intakes and respiratory health in adolescents. *Chest.* 2007;132(1):238–45.
- Hinojosa CA, Gonzalez-Juarbe N, Rahman MM, Fernandes G, Orihuela CJ, Restrepo I, et al. Omega-3 fatty acids in contrast to omega-6 protect against pneumococcal pneumonia. *Microb Pathog.* 2020;141:103979. doi:10.1016/j.micpath.2020.103979.
- 94. Gadek JE, Demichele SJ, Karlstad MD, Pacht ER, Donahoe M, Albertson TE, et al. Effect of enteral feeding with eicosapentaenoic acid, gamma-linolenic acid, and antioxidants in patients with acute respiratory distress syndrome. Enteral Nutrition in ARDS Study Group. *Crit Care Med.* 1999;27(8):1409–20. doi:10.1097/00003246-199908000-00001.
- 95. Moriyama H, Endo J, Kataoka M, Shimanaka Y, Kono N, Sugiura Y, et al. Omega-3 fatty acid epoxides produced by PAF-AH2 in mast cells regulate pulmonary vascular remodeling. *Nat Commun.* 2022;13(1):3013. doi:10.1038/s41467-022-30621-z.
- 96. Grimminger FR, Wahn HA, Kramer HJ, Stevens JE, Mayer KO, Walmrath DI, et al. Differential influence of arachidonic vs. eicosapentaenoic acid on experimental pulmonary hypertension. *Am J Physiol.* 1995;268(6 Pt 2):2252–9. doi:10.1152/ajpheart.1995.268.6.H2252.
- 97. Grimminger F, Wahn H, Mayer K, Kiss L, Walmrath D, Seeger W, et al. Impact of arachidonic versus eicosapentaenoic acid on exotonin-induced lung vascular leakage: relation to 4-series versus 5-series leukotriene generation. *Am J Respir Crit Care Med.* 1997;155(2):513–9. doi:10.1164/ajrccm.155.2.9032187.
- Grimminger F, Mayer K, Krämer HJ, Stevens J, Walmrath D, Seeger W. Differential vasoconstrictor potencies of free fatty acids in the lung vasculature: 2-versus 3-series prostanoid generation. *Journal of Pharmacology and Experimental Therapeutics*. 1993;267(1):259–65.
- Kelbel I, Koch T, Prechtl A, Heller A, Schlotzer E, Schiefer HG, et al. Effects of parenteral application of fish oil versus soy oil emulsions on bacterial clearance functions. *Transfusion Med Hemother*. 1999;26(4):226–32.
- 100. Anes E, Kühnel MP, Bos E, Moniz-Pereira J, Habermann A, Griffiths G, et al. Selected lipids activate phagosome actin assembly and maturation resulting in killing of pathogenic mycobacteria. *Nat cell*

Biol. 2003;5(9):793-802.

- 101. Mcfarland CT, Fan YY, Chapkin RS, Weeks BR, Mcmurray DN. Dietary polyunsaturated fatty acids modulate resistance to Mycobacterium tuberculosis in guinea pigs. J Nutr. 2008;138(11):2123–8. doi:10.3945/jn.108.093740.
- 102. Jordao L, Lengeling A, Bordat Y, Boudou F, Gicquel B, Neyrolles O, et al. Effects of omega-3 and -6 fatty acids on Mycobacterium tuberculosis in macrophages and in mice. *Microbes Infect.* 2008;10(12-13):1379–86. doi:10.1016/j.micinf.2008.08.004.
- Gupta KB, Gupta H, Kant S, Gupta K. Nutrition and Tuberculosis. NMO J. 2018;12(1):47–50.
- Scaglia N, Chatkin J, Chapman KR, Ferreira I, Wagner M, Selby P, et al. The relationship between omega-3 and smoking habit: a crosssectional study. *Lipids Health Dis*. 2016;15(1):1–7.
- 105. Kant S, Singh A, Verma N, Verma AK, Tripathi A. Nonpharmacological modalities for Tobacco Cessation: An Overview. Int J Adv Res. 2022;10(5):176–86.
- Singh A, Verma N, Bhardwaj K. Role of Flaxseed Oil as an Adjuvant in Decreasing Tobacco Craving: A Review. *EC Nutrition*. 2022;17(8):29–36.
- 107. Vega OM, Abkenari S, Tong Z, Tedman A, Huerta-Yepez S. Omega-3 polyunsaturated fatty acids and lung cancer: nutrition or pharmacology? *Nutr Cancer*. 2021;73(4):541–61.
- 108. Romieu I. Nutrition and lung health. Int J Tuberc Lung Dis. 2005;9(4):362–74.

#### Author biography

Surya Kant, Professor & Head

Anjali Singh, PhD Scholar

Narsingh Verma, Professor & Head

Ajay Kumar Verma, Additional Professor

Adarsh Tripathi, Professor

Cite this article: Kant S, Singh A, Verma N, Verma AK, Tripathi A. Omega 3 fatty acid: A boon for pulmonary health. *IP Indian J Immunol Respir Med* 2023;8(1):11-18.